

### **CABINET LED**









as one of the foremost manufacturers of Video Wall, Pro AV, IP Camera & KVM solutions

#### **CONTACT US**

 Address: 447 Broadway, 2nd Floor , New York, New York
10013, United States

Phone: +1332239297

\_\_\_\_

#### CONNECT TO US

Facebook

Contact U:

Email: Inquiries@angustos.co



## Super waterproof

Ip65 protection high protection class escorts the product

Product Model	AC3O-1515-SSC
PixeL Pitch	3.0mm Outdoor
Pixel type	SMD1515 3 in1
Cabinet Size (Width*Height*Thickness)	960mm*640mm*105mm
IC Led	ICND2065/ FM6363 /DP3368
Chip Led	Nationstar Lamp Copper Wire SMD1515
Cabinet Resolution	320 pixel x 213 pixel = 68.160 pixels
Pixel Density	105.625 Dots/m²
Scan Type	Scan 1/32
Brightness	≥ 4.500cd/m²
Refresh Rate	≥ 3840HZ
Minimum number of visible colors	16.7 milion
Maximum number of visible colors	4.398 Billion
Viewing Angle	140°/130° (horizontal / vertical) ±10 degree
Viewing Distance	≥ 3m
Blind spot rate	≤ 0.02%
Working Time On Day	8-12 hours
Weight of Cabinet	19.8kg ±0.5 kg

Working frequency	50/60Hz
Working voltage	110~220VAC ±15%
Lifespan	≥100,000 hours
Average Failure Free Time	≥10,000 hours
Working Temp /Humidity	-20°C~70°C /10%~90%
Storage Temp / Humidity	-40°C~80°C/10%~90%
Data transfer method	Cables RJ45 (Ethernet)
Control System	Synchronous / Asynchronous /Synchronize with computers: Windows XP, Vista, Win7, Win8, Win10,
Serviceability	Rear / Front
Front water protection level	IP65

### Quick installation

The box is equipped with a quick-mount lock, which can be quickly connected and fixed between the left and right upper and lower levels





# Streamlined aesthetics extreme simplicity

The streamlined design of the rear cover is integrated, simple but not simple

