ANGUSTOS

CABINET LED

Product Directory

CONTACT US

⊙ Address: 447 Broadway, 2nd Floor , New York, New York 10013, United States

⊙ Phone: +13322392978

✉ Email: Inquiries@angustos.com

CONNECT TO US

Where to Buy

Facebook

YouTube

❯ Contact Us

Super waterproof

Ip65 protection high protection class escorts the product

Product Model	AC4O-1921-SSC
PixeL Pitch	4.0mm Outdoor
Pixel type	SMD1921 3 in1
Cabinet Size (Width*Height*Thickness)	960mm*960mm*120mm/960mm*640mm*120mm/….
IC Led	ICND2065/ FM6363 /SM16380…
Chip Led	Nationstar Lamp Copper Wire SMD1921
Cabinet Resolution	240 pixel x 240 pixel = 57.600 pixels
Pixel Density	62.500 Dots/㎡
Scan Type	Scan 1/10
Brightness	≥ 5000cd/㎡
Refresh Rate	≥ 3840HZ
Minimum number of visible colors	16.7 milion
Maximum number of visible colors	4.398 Billion
Viewing Angle	140°/130° (horizontal / vertical) ±10 degree
Viewing Distance	≥ 4m
Blind spot rate	≤ 0.02%
Working Time On Day	8-12 hours
Weight of Cabinet	19.8kg ±0.5 kg

Working frequency	50/60Hz
Working voltage	110~220VAC ±15%
Lifespan	≥100,000 hours
Average Failure Free Time	≥10,000 hours
Working Temp /Humidity	-20°C~70°C /10%~90%
Storage Temp / Humidity	-40°C~80°C/10%~90%
Data transfer method	Cables RJ45 (Ethernet)
Control System	Synchronous / Asynchronous /Synchronize with computers: Windows XP, Vista, Win7, Win8, Win10,...
Serviceability	Rear / Front
Front water protection level	IP65

Quick installation

The box is equipped with a quick-mount lock, which can be quickly connected and fixed between the left and right upper and lower levels

Streamlined aesthetics extreme simplicity

The streamlined design of the rear cover is integrated, simple but not simple